



# INSTALLATION INSTRUCTIONS

## Part Number: VF2033

### FOR APPLICATIONS WITH A FILTER TRAY

This filter fits: SEE CATALOG FOR CURRENT APPLICATIONS

\* FREE K&N® decal To register your warranty, please see us online at [knfilters.com/register](http://knfilters.com/register). FREE K&N® decal \*

K&N® Cabin Air Filters replace your vehicle's stock cabin filter with a reusable design that cleans and freshens incoming air. They are electrostatically charged to grab and hold dust particles. K&N® cabin air filters help control odors while they help capture most mold, mildew, fungus, spores, bacteria and germs. When they get dirty they can be cleaned and reused and best of all, they come with a 10 year/100,000 mile limited warranty.

When applicable, refer to owner's manual for manufactures installation/removal instructions. The following are helpful steps when replacing/servicing cabin air filter with K&N® cabin air filter.

1. Open glove box compartment. Fig. 1
2. Apply pressure to the sides of the glove box pushing into the center. This will allow the glove box to hang free allowing access to the cabin filter housing. Fig. 2, 3
3. Remove cabin filter tray from cabin filter housing. Fig. 4
4. Remove dirty cabin filter from tray. Remove any debris that might be present on cabin filter tray and inside the cabin filter housing. Fig. 5
5. Install K&N® cabin air filter into tray. **NOTE: Cabin filter will only fit in one direction, line up the rails in tray with the cut out features on the filter. Once filter is installed correctly the filter will sit flush inside of tray.** Fig. 6, 7 & 8
6. Reverse steps 1-4 to complete cabin filter installation. With the cabin filter installed, clean an area on the housing and apply the K&N® Stop Decal. The decal will help notify others that this is a reusable cabin filter.



Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7



Fig. 8

Please visit our website [knfilters.com](http://knfilters.com) for a complete listing of other K&N® products for your vehicle, such as oil filters, air filters, and intake kits. We recommend refreshing your K&N® Cabin Air Filter every 12 months, or 12,000 miles. Use K&N® Refresher kit pt.# 99-6000 which includes the easy to follow instructions.



# INSTALLATION INSTRUCTIONS

## Part Number: VF2033

FOR APPLICATIONS WITHOUT A FILTER TRAY

This filter fits: SEE CATALOG FOR CURRENT APPLICATIONS

\* FREE K&N® decal To register your warranty, please see us online at [knfilters.com/register](http://knfilters.com/register). FREE K&N® decal \*

K&N® Cabin Air Filters replace your vehicle's stock cabin filter with a reusable design that cleans and freshens incoming air. They are electrostatically charged to grab and hold dust particles. K&N® cabin air filters help control odors while they help capture most mold, mildew, fungus, spores, bacteria and germs. When they get dirty they can be cleaned and reused and best of all, they come with a 10 year/Million mile limited warranty.

If you need any assistance please call 1-800-858-3333 to speak with a representative in our Customer Service Center before returning the product.

When applicable, refer to owner's manual for manufacturers installation/removal instructions. The following are helpful steps when replacing/servicing cabin air filter with K&N® cabin air filter.

1. Open glove box and locate access panel for cabin filter housing. Fig. 1, 2
2. Open access panel to reveal cabin filter housing. Fig. 3, 4
3. Remove cabin filter housing cover. Fig. 5
4. Remove dirty cabin filter. **NOTE: Clean any debris that might be present on the cabin filter housing.** Fig. 6
5. Install K&N® Cabin Filter. Cabin filter will only fit one direction. **NOTE: Cut out features and flow arrow should be facing down.** Fig. 7
6. Reinstall cabin filter housing cover. **NOTE: Notches on filter will line up with features on cabin filter housing cover.** Fig. 8
7. Reverse steps 1-4 to complete cabin filter installation. With the cabin filter installed, clean an area on the housing and apply the K&N® Stop Decal. The decal will help notify others that this is a re-usable cabin filter.



Fig. 1




Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7



Fig. 8

Please visit our website [knfilters.com](http://knfilters.com) for a complete listing of other K&N® products for your vehicle, such as oil filters, air filters, and intake kits. We recommend refreshing your K&N® Cabin Air Filter every 12 months, or 12,000 miles. Use K&N® Refresher kit pt.# 99-6000 which includes the easy to follow instructions.



# INSTALLATION INSTRUCTIONS

## Part Number: VF2033

FOR HONDA CIVIC

This filter fits: SEE CATALOG FOR CURRENT APPLICATIONS

\* FREE K&N® decal To register your warranty, please see us online at [knfilters.com/register](http://knfilters.com/register). FREE K&N® decal \*

K&N® Cabin Air Filters replace your vehicle's stock cabin filter with a reusable design that cleans and freshens incoming air. They are electrostatically charged to grab and hold dust particles. K&N® cabin air filters help control odors while they help capture most mold, mildew, fungus, spores, bacteria and germs. When they get dirty they can be cleaned and reused and best of all, they come with a 10 year/Million mile limited warranty.

If you need any assistance please call 1-800-858-3333 to speak with a representative in our Customer Service Center before returning the product.

When applicable, refer to owner's manual for manufacturers installation/removal instructions. The following are helpful steps when replacing/servicing cabin air filter with K&N® cabin air filter.

1. Open glove box compartment. Fig. 1
2. Press in on the sides of the glove box and pull down to allow access to the cabin filter housing. Fig. 2
3. Press the tabs on the side of the cabin filter door and remove. Fig. 3
4. Remove dirty cabin filter by pulling it towards you. Remove any debris that might be present inside the cabin filter housing. Fig 4
5. Install K&N® cabin air filter with the cut-out facing towards you as shown. Fig. 5
6. Re-install the door with the bottom edge first to ensure that the filter sits on the shelf of the door. Snap the door in place. Figs. 6 & 7
7. Reverse steps 1-6 to complete cabin filter installation. With the cabin filter installed, clean an area on the housing and apply the K&N® Stop Decal. The decal will help notify others that this is a reusable cabin filter.



Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7

Please visit our website [knfilters.com](http://knfilters.com) for a complete listing of other K&N® products for your vehicle, such as oil filters, air filters, and intake kits. We recommend refreshing your K&N® Cabin Air Filter every 12 months, or 12,000 miles. Use K&N® Refresher kit pt.# 99-6000 which includes the easy to follow instructions.